

ascelik



General Clamp & Fixing System

www.ascfixing.com

asc fixing

Clamp and Fixing Systems

CHOICE OF PROFESSIONALS

4 CONTINENT 60 COUNTRIES



asc fixing



INDEX

1 PIPE CLAMP&SUPPORT

2 PROFILE&HANGER SUPPORT

3 FASTENERS

4 ANCHOR

5 TOOLS

About Company

ASC Asçelik Kelepçe factory was established in 2016 as a production subsidiary of AS Mühendislik mechanical installation application company which established at 2005.

With its quality and customer satisfaction, it has become a well-known and sought-after brand both at domestic and foreign markets.

ASC FIXING continues to serve its customers with the aim of “more than a clamp” by expanding the current product portfolio with fixing systems and profile channel products.

Our company has a dynamic structure that is constantly evolving with efficient, sustainable, high-quality, R&D and innovation studies in production.

ASC FIXING has ISO 9001-2015, Gost-R, CE, COC, TSEK quality certificates and test reports, and prioritizes high quality production.

It is taking firm step with aim of being World brand by experiencing rightful proud of exporting products manufactured under ASC FIXING brand to more than 60 countries in 4 continents. In addition, it maintains its leadership position in the domestic sector.



01

PIPE CLAMP&SUPPORT

Technical Features	6
Pipe Clamp Selection Table	7-8
Pipe Clamp with Nut (Set)	9
Pipe Clamp with Nut	10
Pipe Clamp with Combi Nut	11
Pipe Clamp with Triphone 7x70	12
Pipe Clamp with Triphone 7x100	13
Heavy Duty Pipe Clamp (Headed)	14
Heavy Duty Pipe Clamp with Nut	15
Clevis Hanger	16
Sprinkler Pipe Clamp	17
Sleeve Sprinkler Pipe Clamp	18
Silent Pipe Clamp with Stand	19
Silent Pipe Clamp with Triphone (Vertical)	20
Silent Pipe Clamp with Nut (Vertical)	21
Silent Pipe Clamp with Nut (Horizontal)	22
Silent Pipe Clamp with Triphone (Horizontal)	23
No Rubber Pipe Clamp with Nut (Set)	24
No Rubber Pipe Clamp with Nut	25
No Rubber Pipe Clamp with Combi Nut	26
No Rubber Pipe Clamp with Triphone 7x70	27
No Rubber Pipe Clamp with Triphone 7x100	28
Italian Type Pipe Clamp (Set)	29
Italian Type Pipe Clamp	30
Italian Type Pipe Clamp Combi M8/M10	31
Stainless Steel Clamp with Nut	32
Stainless Steel Clamp with Combi Nut	33
Isolation Block	34
Platform Duty Clamp	35
Single and Double Clamp	36

PIPE CLAMP&SUPPORT

Tecnical Features

Clamp Body:

Material:	Cold-Rolled Carbon Steel Grade Dc01 according to EN 10 130: 2006
Hardness:	(+5) 50 Shore

Rubber:

Material:	Epdm
Standard:	Noise reduction level up to 18 dB according to DIN 4109
Hardness:	76 Shore
Temperature Range:	between -40°C and +120°C.

Nut:

Material:	Iron
Standard:	DIN EN ISO 898-2
Hardness (HV):	150-302, Welded on clamp body by arc gas welding

NUT LOAD

Nut Type	Nut Size	Nut Range	Pull Off Test (KN)	Pull Off Test(KG)
Hex Nut	M8	1/4" to 2"	9	55
Hex Nut	M10	2 1/2" to 10"	14	70
Combi Nut	M8+M10	1/4" to 10"	9	55
Combi Nut	M8+M10	1/4" to 10"	14	70

NUT WELDING STRENGTH

Clamp Thickness (mm)	Size Range	Welding Strength (NM)
1.0 mm	1/4" to 1"	55
1.2 mm	1 1/4" to 2"	65
1.5 mm	2 1/2" to 4"	75
2.0 mm	4 1/2" to 10"	75

Bolts/Screws:

Material:	Iron
Standard:	are produced according to EN 10 204 3.1. M5 and M6 profile head with washer

Clamps are manufactured according to the following standards:

EN 10130	Mechanical and Chemical Properties of cold rolled carbon steel standard.
DIN 4109	Rubber noise reduction standard
ASTM- B633	Electro galvanized zinc plating standard

PIPE CLAMP&SUPPORT

Pipe Clamp Selection Table

STANDARD TYPE CLAMP		PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1/4"	13-20	1/4"	13,1
3/8"	17-23	3/8"	17,2
1/2"	21-26	1/2"	21,3
3/4"	26-30	3/4"	26,9
1"	33-37	1"	33,7
1 1/4"	40-46	1 1/4"	42,4
1 1/2"	48-53	1 1/2"	48,3
53 - 59	53-59	intermediate size'	
2"	60-66	2"	60-66
67 - 77	67-77	intermediate size'	
2 1/2"	75-84	2 1/2"	75-84
83 - 93	83-93	intermediate size	
3"	87-96	3"	88,9
3 1/2"	94-104	3 1/2"	intermediate size
4"	109-119	4"	114,3
4 1/2"	118-125	4 1/2"	intermediate size
5"	135-146	5"	139,7
5 1/2"	150-162	5 1/2"	intermediate size
6"	158-169	6"	168,3
7"	197-207	7"	intermediate size
8"	216-224	8"	219,1
10"	269-275	10"	intermediate size

HEAVY DUTY CLAMP		PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1"	33-40	1"	33,7
1 1/4"	41-48	1 1/4"	42,4
1 1/2"	48-56	1 1/2"	48,3
2"	60-69	2"	60,3
2 1/2"	76-84	2 1/2"	76,1
3"	87-95	3"	88,9
4"	109-119	4"	114,3
5"	136-147	5"	139,7
6"	164-174	6"	168,3
8"	214-226	8"	219,1
10"	266-274	10"	273

PIPE CLAMP&SUPPORT

Pipe Clamp Selection Table



STANDARD TYPE CLAMP		PPRC PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1/2"	21-26	20	26,8
1"	33-37	25	33,4
1 1/4"	40-46	32	42,8
1 1/2"	48-53	40	53,4
2"	60-66	50	66,6
2 1/2"	75-84	63	84
94-104	94-104	75	100
4"	109-119	90	120
5"	135-146	110	146,6

HEAVY DUTY CLAMP		PVC PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1 1/2"	48-53	50	50
2 1/2"	75-84	70	75
4"	109-119	100	110
4 1/2"	118-125	125	125
5 1/2"	150-162	150	158

* Standart Clamp: Pipe clamps with nut, with combi nut, with screw, with long screw.

PIPE CLAMP&SUPPORT

Pipe Clamp with Nut (Set)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

****3 products are packed in a plastic bag**

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Adaptor Triphone	Plastic Dubel	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)							
ASC 0015 A8x80 S	13 - 20	1/4 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,10
ASC 0018 A8x80 S	17 - 23	3/8 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,60
ASC 0020 A8x80 S	21 - 26	1/2 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,75
ASC 0025 A8x80 S	26 - 30	3/4 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	9,18
ASC 0032 A8x80 S	33 - 37	1 "	1,00 X 20	M5X15	M8	8 X 80	M10	120	9,14
ASC 0040 A8x80 S	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,03
ASC 0048 A8x80 S	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,50
ASC 0054 A8x80 S	53 - 59	53 - 59	1,20 X 20	M5X15	M8	8 X 80	M10	100	7,60
ASC 0056 A8x80 S	60 - 66	2 "	1,20 X 20	M5X15	M8	8 X 80	M10	60	6,26
ASC 0067 A10x80 S	67 - 77	67 - 77	1,50 X 25	M6X30	M10	10 X 80	M12	40	6,46
ASC 0075 A10x80 S	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,41
ASC 0083 A10x80 S	83 - 93	83 - 93	1,50 X 20	M6X30	M10	10 X 80	M12	40	8,62
ASC 0086 A10x80 S	87 - 96	3 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	9,21
ASC 0097 A10x80 S	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	10,64
ASC 0101 A10x80 S	109 - 119	4 "	1,50 X 25	M6X30	M10	10 X 80	M12	35	9,28
ASC 0123 A10x80 S	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	35	11,30
ASC 0138 A10x80 S	135 - 146	5 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,41
ASC 0160 A10x80 S	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	11,29
ASC 0166 A10x80 S	158 - 169	6 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	8,21
ASC 0195 A10x80 S	197 - 207	7 "	2,00 X 25	M6X30	M10	10 X 80	M12	25	10,03
ASC 0216 A10x80 S	216 - 224	8 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	10,44
ASC 0270 A10x80 S	269 - 275	10 "	2,00 X 25	M6X30	M10	10 X 80	M12	10	10,95

PIPE CLAMP&SUPPORT

Pipe Clamp with Nut






SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 S	13 - 20	1/4 "	1,00 X 20	M5X15	M8	300	11,72
ASC 0018 S	17 - 23	3/8 "	1,00 X 20	M5X15	M8	300	12,01
ASC 0020 S	21 - 26	1/2 "	1,00 X 20	M5X15	M8	300	12,61
ASC 0025 S	26 - 30	3/4 "	1,00 X 20	M5X15	M8	200	9,20
ASC 0032 S	33 - 37	1 "	1,00 X 20	M5X15	M8	200	10,61
ASC 0040 S	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8	100	6,51
ASC 0048 S	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8	120	8,69
ASC 0054 S	53 - 59	53 - 59	1,20 X 20	M5X15	M8	120	8,82
ASC 0056 S	60 - 66	2 "	1,20 X 20	M5X15	M8	75	7,03
ASC 0067 S	67 - 77	67 - 77	1,50 X 25	M6X30	M10	75	7,45
ASC 0075 S	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	50	7,82
ASC 0083 S	83 - 93	83 - 93	1,50 X 20	M6X30	M10	40	7,31
ASC 0086 S	87 - 96	3 "	1,50 X 25	M6X30	M10	40	7,34
ASC 0097 S	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	40	7,75
ASC 0101 S	109 - 119	4 "	1,50 X 25	M6X30	M10	40	8,78
ASC 0123 S	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50	12,34
ASC 0138 S	135 - 146	5 "	2,00 X 25	M6X30	M10	25	7,91
ASC 0160 S	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25	8,58
ASC 0166 S	158 - 169	6 "	2,00 X 25	M6X30	M10	25	8,91
ASC 0195 S	197 - 207	7 "	2,00 X 25	M6X30	M10	25	9,38
ASC 0216 S	216 - 224	8 "	2,00 X 25	M6X30	M10	20	9,59
ASC 0270 S	269 - 275	10 "	2,00 X 25	M6X30	M10	10	8,87

PIPE CLAMP&SUPPORT

Pipe Clamp with Combi Nut




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 KS	13 - 20	1/4 "	1,00 X 20	M5X15	M8/10	300	12,61
ASC 0018 KS	17 - 23	3/8 "	1,00 X 20	M5X15	M8/10	300	14,01
ASC 0020 KS	21 - 26	1/2 "	1,00 X 20	M5X15	M8/10	300	14,18
ASC 0025 KS	26 - 30	3/4 "	1,00 X 20	M5X15	M8/10	200	10,25
ASC 0032 KS	33 - 37	1 "	1,00 X 20	M5X15	M8/10	200	12,01
ASC 0040 KS	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8/10	100	9,62
ASC 0048 KS	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8/10	120	9,76
ASC 0054 KS	53 - 59	53 - 59	1,20 X 20	M5X15	M8/10	120	8,69
ASC 0056 KS	60 - 66	2 "	1,20 X 20	M5X15	M8/10	75	6,80
ASC 0067 KS	67 - 77	67 - 77	1,50 X 25	M6X30	M8/10	75	7,03
ASC 0075 KS	75 - 84	2 1/2 "	1,50 X 25	M6X30	M8/10	50	8,28
ASC 0083 KS	83 - 93	83 - 93	1,50 X 20	M6X30	M8/10	40	7,34
ASC 0086 KS	87 - 96	3 "	1,50 X 25	M6X30	M8/10	40	7,82
ASC 0097 KS	94 - 104	3 1/2 "	1,50 X 25	M6X30	M8/10	40	7,85
ASC 0101 KS	109 - 119	4 "	1,50 X 25	M6X30	M8/10	40	8,98
ASC 0123 KS	118 - 125	4 1/2 "	2,00 X 25	M6X30	M8/10	50	12,61
ASC 0138 KS	135 - 146	5 "	2,00 X 25	M6X30	M8/10	25	7,26
ASC 0160 KS	150 - 162	5 1/2 "	2,00 X 25	M6X30	M8/10	25	8,71
ASC 0166 KS	158 - 169	6 "	2,00 X 25	M6X30	M8/10	25	8,73
ASC 0195 KS	197 - 207	7"	2,00 X 25	M6X30	M8/10	25	9,58
ASC 0216 KS	216 - 224	8"	2,00 X 25	M6X30	M8/10	20	11,30
ASC 0270 KS	269 - 275	10"	2,00 X 25	M6X30	M8/10	10	11,41

PIPE CLAMP&SUPPORT

Pipe Clamp with Triphone 7x70




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 KT	13 - 20	1/4 "	1,00 X 20	M5X15	7 X 70	200	9,50
ASC 0018 KT	17 - 23	3/8 "	1,00 X 20	M5X15	7 X 70	200	9,40
ASC 0020 KT	21 - 26	1/2 "	1,00 X 20	M5X15	7 X 70	200	9,50
ASC 0025 KT	26 - 30	3/4 "	1,00 X 20	M5X15	7 X 70	200	10,50
ASC 0032 KT	33 - 37	1 "	1,00 X 20	M5X15	7 X 70	150	9,10
ASC 0040 KT	40 - 46	1 1/4 "	1,20 X 20	M5X15	7 X 70	100	6,30
ASC 0048 KT	48 - 53	1 1/2 "	1,20 X 20	M5X15	7 X 70	100	6,80
ASC 0054 KT	53 - 59	53 - 59	1,20 X 20	M5X15	7 X 70	75	5,90
ASC 0056 KT	60 - 66	2 "	1,20 X 20	M5X15	7 X 70	75	5,90
ASC 0067 KT	67 - 77	67 - 77	1,50 X 25	M6X30	7 X 70	40	6,30
ASC 0075 KT	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 70	40	6,30
ASC 0083 KT	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 70	40	7,30
ASC 0086 KT	87 - 96	3 "	1,50 X 25	M6X30	7 X 70	40	7,30
ASC 0097 KT	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 70	40	7,50
ASC 0101 KT	109 - 119	4 "	1,50 X 25	M6X30	7 X 70	40	7,90
ASC 0123 KT	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 70	30	7,40
ASC 0138 KT	135 - 146	5 "	2,00 X 25	M6X30	7 X 70	25	7,30
ASC 0160 KT	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 70	25	6,60
ASC 0166 KT	158 - 169	6 "	2,00 X 25	M6X30	7 X 70	25	8,70
ASC 0195 KT	197 - 207	7"	2,00 X 25	M6X30	7 X 70	15	8,80
ASC 0216 KT	216 - 224	8"	2,00 X 25	M6X30	7 X 70	10	8,98
ASC 0270 KT	269 - 275	10"	2,00 X 25	M6X30	7 X 70	7	8,62

PIPE CLAMP&SUPPORT

Pipe Clamp with Triphone 7x100







SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 UT	13 - 20	1/4 "	1,00 X 20	M5X15	7 X 100	150	8,70
ASC 0018 UT	17 - 23	3/8 "	1,00 X 20	M5X15	7 X 100	150	8,70
ASC 0020 UT	21 - 26	1/2 "	1,00 X 20	M5X15	7 X 100	150	8,70
ASC 0025 UT	26 - 30	3/4 "	1,00 X 20	M5X15	7 X 100	150	8,80
ASC 0032 UT	33 - 37	1 "	1,00 X 20	M5X15	7 X 100	100	8,90
ASC 0040 UT	40 - 46	1 1/4 "	1,20 X 20	M5X15	7 X 100	75	6,30
ASC 0048 UT	48 - 53	1 1/2 "	1,20 X 20	M5X15	7 X 100	75	7,10
ASC 0054 UT	53 - 59	53 - 59	1,20 X 20	M5X15	7 X 100	50	4,70
ASC 0056 UT	60 - 66	2 "	1,20 X 20	M5X15	7 X 100	50	4,70
ASC 0067 UT	67 - 77	67 - 77	1,50 X 25	M6X30	7 X 100	40	6,80
ASC 0075 UT	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 100	40	6,80
ASC 0083 UT	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 100	30	5,80
ASC 0086 UT	87 - 96	3 "	1,50 X 25	M6X30	7 X 100	30	5,80
ASC 0097 UT	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 100	30	7,80
ASC 0101 UT	109 - 119	4 "	1,50 X 25	M6X30	7 X 100	30	8,10
ASC 0123 UT	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 100	25	7,40
ASC 0138 UT	135 - 146	5 "	2,00 X 25	M6X30	7 X 100	20	6,50
ASC 0160 UT	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 100	20	7,01
ASC 0166 UT	158 - 169	6 "	2,00 X 25	M6X30	7 X 100	20	6,60
ASC 0195 UT	197 - 207	7"	2,00 X 25	M6X30	7 X 100	15	8,70
ASC 0216 UT	216 - 224	8"	2,00 X 25	M6X30	7 X 100	10	9,02
ASC 0270 UT	269 - 275	10"	2,00 X 25	M6X30	7 X 100	7	8,60

PIPE CLAMP&SUPPORT

Heavy Duty Pipe Clamp (Headed)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1" - 3"	10	2,75
4"	14	3,75
4 1/2" - 10"	20	6

Product Code	Dimensions		Thickness X Width	Side Screws	Head	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	SXE (mm)	Pcs/box	(kg)
ASC 0032 AK	32 - 36	1 "	2,00 X 25	M8 X 30	10,5x14	60	10,99
ASC 0039 AK	41 -45	1 1/4 "	2,00 X 25	M8 X 30	10,5x14	50	9,76
ASC 0048 AK	49 - 53	1 1/2 "	2,00 X 25	M8 X 30	10,5x14	40	8,59
ASC 0059 AK	59 - 65	2 "	2,00 X 25	M8 X 30	10,5x14	40	9,57
ASC 0074 AK	75 - 83	2 1/2 "	2,00 X 25	M8 X 30	10,5x14	40	10,36
ASC 0087 AK	87 - 95	3 "	2,00 X 25	M8 X 30	10,5x14	30	8,67
ASC 0108 AK	108 - 118	4 "	2,50 X 30	M8 X 30	12x14	20	10,58
ASC 0135 AK	134 - 147	5 "	3,00 X 30	M10 X 45	12x14	20	12,25
ASC 0162 AK	157 - 169	6 "	3,00 X 30	M10 X 45	12x14	15	9,95
ASC 0206 AK	211 - 226	8 "	4,00 X 30	M10 X 45	12x14	10	10,63
ASC 0260 AK	265 - 273	10 "	4,00 X 30	M10 X 45	12x14	7	9,40

PIPE CLAMP&SUPPORT

Heavy Duty Pipe Clamp with Nut




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1" - 3"	10	2,75
4"	14	3,75
4 1/2" - 10"	20	6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0032 AS	32 - 36	1 "	2,00 X 25	M8 X 30	M12	70	12,16
ASC 0039 AS	41 -45	1 1/4 "	2,00 X 25	M8 X 30	M12	60	10,28
ASC 0048 AS	49 - 53	1 1/2 "	2,00 X 25	M8 X 30	M12	50	9,28
ASC 0059 AS	59 - 65	2 "	2,00 X 25	M8 X 30	M12	40	8,12
ASC 0074 AS	75 - 83	2 1/2 "	2,00 X 25	M8 X 30	M12	40	8,85
ASC 0087 AS	87 - 95	3 "	2,00 X 25	M8 X 30	M12	40	10,08
ASC 0108 AS	108 - 118	4 "	2,50 X 30	M8 X 30	M12	20	14,29
ASC 0135 AS	134 - 147	5 "	3,00 X 30	M10 X 45	M16	20	11,38
ASC 0162 AS	157 - 169	6 "	3,00 X 30	M10 X 45	M16	15	9,21
ASC 0206 AS	211 - 226	8 "	4,00 X 30	M10 X 45	M16	10	10,15
ASC 0260 AS	265 - 273	10 "	4,00 X 30	M10 X 45	M16	7	8,88

PIPE CLAMP&SUPPORT



Clevis Hanger



Product Code	Dimensions		H (mm)	D (mm)	A (mm)	R	Steel Dimensions TXB		Design Load kN
	(mm)	(inch)					Upper (mm)	Lower (mm)	
ASC CH 0025	25	1 "	78	35	58	M10	3X25	3X25	2,77
ASC CH 0032	32	1 1/4 "	88	46	63	M10	3X25	3X25	2,77
ASC CH 0040	40	1 1/2 "	101	57	79	M10	3X25	3X25	2,77
ASC CH 0050	50	2 "	123	63	78	M10	3X25	3X25	2,77
ASC CH 0065	65	2 1/2 "	155	79	96	M12	3X30	3X30	5,00
ASC CH 0080	80	3 "	170	100	111	M12	4X30	4X30	5,00
ASC CH 0100	100	4 "	210	111	138	M16	4X30	4X30	6,30
ASC CH 0125	125	5 "	246	127	163	M16	5X30	5X30	6,30
ASC CH 0150	150	6 "	283	144	191	M20	5X40	5X40	8,60
ASC CH 0200	200	8 "	372	181	231	M20	6X40	5X40	8,81
ASC CH 0250	250	10 "	435	212	308	M22	10X40	6X40	16,00

PIPE CLAMP&SUPPORT

Sprinkler Pipe Clamp




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1" - 2"	14	1,5
2 1/2" - 4"	21	3,9
5" - 6"	25	7,5
8" - 10"	40	13

Product Code	Dimensions		Thickness X Width	Hole	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	SXB (mm)	Ø d mm	Pcs/box	(kg)
ASC 0020 SP	20	1/2 "	1,00 X 25	10,5	150	5,80
ASC 0025 SP	25	3/4 "	1,00 X 25	10,5	150	5,85
ASC 0032 SP	32	1 "	1,00 X 25	10,5	150	5,97
ASC 0040 SP	40	1 1/4 "	1,20 X 25	10,5	100	6,05
ASC 0048 SP	50	1 1/2 "	1,20 X 25	10,5	80	5,46
ASC 0056 SP	60	2 "	1,20 X 25	10,5	75	6,92
ASC 0075 SP	75	2 1/2 "	1,50 X 25	10,5	50	5,57
ASC 0086 SP	90	3 "	1,50 X 25	10,5	50	5,67
ASC 0100 SP	116	4 "	2,00 X 25	10,5	30	5,83
ASC 0138 SP	140	5 "	2,50 X 25	13	25	7,29
ASC 0163 SP	165	6 "	2,50 X 25	13	20	8,06



PIPE CLAMP&SUPPORT

Sleeve Sprinkler Pipe Clamp






SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1" - 2"	14	1,5
2 1/2" - 4"	21	3,9
5" - 6"	25	7,5
8" - 10"	40	13



Product Code	Dimensions		Thickness X Width	Hole	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	SXB (mm)	Ø d mm	Pcs/box	(kg)
ASC 0020 MSP	20	1/2 "	1,00 X 25	10,5	150	5,80
ASC 0025 MSP	25	3/4 "	1,00 X 25	10,5	150	5,85
ASC 0032 MSP	32	1 "	1,00 X 25	10,5	150	5,97
ASC 0040 MSP	40	1 1/4 "	1,20 X 25	10,5	100	6,05
ASC 0048 MSP	50	1 1/2 "	1,20 X 25	10,5	80	5,46
ASC 0056 MSP	60	2 "	1,20 X 25	10,5	75	6,92
ASC 0075 MSP	75	2 1/2 "	1,50 X 25	10,5	50	5,57
ASC 0086 MSP	90	3 "	1,50 X 25	10,5	50	5,67
ASC 0100 MSP	116	4 "	2,00 X 25	10,5	30	5,83
ASC 0138 MSP	140	5 "	2,50 X 25	13	25	7,29
ASC 0163 MSP	165	6 "	2,50 X 25	13	20	8,06

PIPE CLAMP&SUPPORT

Silent Pipe Clamp with Stand





Product Code	Clamp Dimension					Plate Dimension			Quantity Per Box
	(mm)	(inch)	Thickness X Width	Side Screws	Nut	Width	Lenght	Thickness	Pcs/box
ASC 0075 SC	70 - 76	2 1/2"	1,50 X 25	M6X30	M10	80	25	1,5	50
ASC 0110 SC	106 - 114	4"	1,50 X 25	M6X30	M10	80	25	1,5	40
ASC 0125 SC	124 - 130	4 1/2"	2,00 X 25	M6X30	M10	80	25	1,5	50
ASC 0135 SC	135 - 146	5"	2,00 X 25	M6X30	M10	80	25	1,5	50
ASC 0160 SC	155 - 162	5 1/2"	2,00 X 25	M6X30	M10	80	25	1,5	25
ASC 0200 SC	191 - 200	7"	2,00 X 25	M6X30	M10	80	25	1,5	25

PIPE CLAMP&SUPPORT

Silent Pipe Clamp with Triphone (Vertical)





SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3



Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes
	(mm)	(inch)	TXB (mm)	R (mm)	S x H (mm)	Pcs/box
ASC 0056 TD	60 - 66	2 "	1,20 X 20	M5X15	7X70	25
ASC 0075 TD	75 - 84	2 1/2 "	1,50 X 25	M6X30	7X70	20
ASC 0086 TD	87 - 96	3 "	1,50 X 25	M6X30	7X70	15
ASC 0110 TD	109 - 119	4 "	1,50 X 25	M6X30	7X70	15
ASC 0125 TD	118 - 125	4 1/2 "	2,00 X 25	M6X30	7X70	15
ASC 0138 TD	135 - 146	5 "	2,00 X 25	M6X30	7X70	10
ASC 0160 TD	150 - 162	5 1/2 "	2,00 X 25	M6X30	7X70	10
ASC 0166 TD	158 - 169	6 "	2,00 X 25	M6X30	7X70	10
ASC 0195 TD	197 - 207	7 "	2,00 X 25	M6X30	7X70	7
ASC 0216 TD	216 - 224	8 "	2,00 X 25	M6X30	7X70	7
ASC 0270 TD	269 - 275	10 "	2,00 X 25	M6X30	7X70	5

PIPE CLAMP&SUPPORT

Silent Pipe Clamp with Nut (Vertical)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3
Ø125	7,8	2,3
Ø160	7,8	2,3
Ø200	7,8	2,3

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box
ASC 0056 SD	60 - 66	2 "	1,20 X 20	M5X15	M8	50
ASC 0075 SD	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	25
ASC 0086 SD	87 - 96	3 "	1,50 X 25	M6X30	M10	20
ASC 0110 SD	109 - 119	4 "	1,50 X 25	M6X30	M10	20
ASC 0125 SD	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	25
ASC 0138 SD	135 - 146	5 "	2,00 X 25	M6X30	M10	15
ASC 0160 SD	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	15
ASC 0166 SD	158 - 169	6 "	2,00 X 25	M6X30	M10	15
ASC 0195 SD	197 - 207	7 "	2,00 X 25	M6X30	M10	10
ASC 0216 SD	216 - 224	8 "	2,00 X 25	M6X30	M10	7
ASC 0270 SD	269 - 275	10 "	2,00 X 25	M6X30	M10	5

PIPE CLAMP&SUPPORT

Silent Pipe Clamp with Nut (Horizontal)



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3
Ø125	7,8	2,3
Ø160	7,8	2,3
Ø200	7,8	2,3

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box
ASC 0056 SY	60 - 66	2 "	1,20 X 20	M5X15	M8	75
ASC 0075 SY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	50
ASC 0086 SY	87 - 96	3 "	1,50 X 25	M6X30	M10	40
ASC 0110 SY	109 - 119	4 "	1,50 X 25	M6X30	M10	40
ASC 0125 SY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50
ASC 0138 SY	135 - 146	5 "	2,00 X 25	M6X30	M10	25
ASC 0160 SY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25
ASC 0166 SY	158 - 169	6 "	2,00 X 25	M6X30	M10	25
ASC 0195 SY	197 - 207	7 "	2,00 X 25	M6X30	M10	20
ASC 0216 SY	216 - 224	8 "	2,00 X 25	M6X30	M10	15
ASC 0270 SY	269 - 275	10 "	2,00 X 25	M6X30	M10	10


PIPE CLAMP&SUPPORT

Silent Pipe Clamp with Triphone (Horizontal)

SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3




Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes
	(mm)	(inch)	TXB (mm)	R (mm)	(mm)	Pcs/box
ASC 0056 TY	60 - 66	2 "	1,20 X 20	M5X15	7X70	75
ASC 0075 TY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7X70	50
ASC 0086 TY	87 - 96	3 "	1,50 X 25	M6X30	7X70	40
ASC 0110 TY	109 - 119	4 "	1,50 X 25	M6X30	7X70	40
ASC 0125 TY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7X70	50
ASC 0138 TY	135 - 146	5 "	2,00 X 25	M6X30	7X70	25
ASC 0160 TY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7X70	25
ASC 0166 TY	158 - 169	6 "	2,00 X 25	M6X30	7X70	25
ASC 0195 TY	197 - 207	7 "	2,00 X 25	M6X30	7X70	20
ASC 0216 TY	216 - 224	8 "	2,00 X 25	M6X30	7X70	15
ASC 0270 TY	269 - 275	10 "	2,00 X 25	M6X30	7X70	10




PIPE CLAMP&SUPPORT

No Rubber Pipe Clamp with Nut (Set)



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6





****3 products are packed in a plastic bag**


Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Adaptor Triphone	Plastic Dubel	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	LXT2 (mm)	E (mm)	Pcs/box	(kg)
ASC 0015 A8x80 SLY	20 - 24	1/2"	1,00 X 20	M5X15	M8	8 X 80	M10	130	7,80
ASC 0018 A8x80 SLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8	8 X 80	M10	130	7,94
ASC 0020 A8x80 SLY	25 - 30	3/4"	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,43
ASC 0025 A8x80 SLY	31 - 36	1"	1,00 X 20	M5X15	M8	8 X 80	M10	120	8,58
ASC 0032 A8x80 SLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,00
ASC 0040 A8x80 SLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8	8 X 80	M10	100	8,96
ASC 0048 A8x80 SLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8	8 X 80	M10	60	8,85
ASC 0054 A8x80 SLY	60 - 65	2"	1,20 X 20	M5X15	M8	8 X 80	M10	60	9,31
ASC 0056 A8x80 SLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8	8 X 80	M10	40	6,14
ASC 0067 A10x80 SLY	68 - 74	68 - 74	1,50 X 25	M6X30	M10	10 X 80	M12	40	6,33
ASC 0075 A10x80 SLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,15
ASC 0083 A10x80 SLY	83 - 93	83 - 93	1,50 X 20	M6X30	M10	10 X 80	M12	40	9,21
ASC 0086 A10x80 SLY	87 - 96	3 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,94
ASC 0097 A10x80 SLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	10,32
ASC 0101 A10x80 SLY	109 - 119	4 "	1,50 X 25	M6X30	M10	10 X 80	M12	35	9,01
ASC 0123 A10x80 SLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	35	10,96
ASC 0138 A10x80 SLY	135 - 146	5 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,09
ASC 0160 A10x80 SLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,95
ASC 0166 A10x80 SLY	158 - 169	6 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	7,97
ASC 0195 A10x80 SLY	197 - 207	7"	2,00 X 25	M6X30	M10	10 X 80	M12	25	9,73
ASC 0216 A10x80 SLY	216 - 224	8"	2,00 X 25	M6X30	M10	10 X 80	M12	20	10,12
ASC 0270 A10x80 SLY	269 - 275	10"	2,00 X 25	M6X30	M10	10 X 80	M12	10	10,62

PIPE CLAMP&SUPPORT

No Rubber Pipe Clamp with Nut





SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6




Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 SLY	20 - 24	1/2"	1,00 X 20	M5X15	M8	300	11,50
ASC 0018 SLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8	300	11,65
ASC 0020 SLY	25 - 30	3/4"	1,00 X 20	M5X15	M8	300	12,23
ASC 0025 SLY	31 - 36	1"	1,00 X 20	M5X15	M8	200	8,92
ASC 0032 SLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8	200	10,29
ASC 0040 SLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8	100	6,31
ASC 0048 SLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8	120	8,43
ASC 0054 SLY	60 - 65	2"	1,20 X 20	M5X15	M8	120	8,69
ASC 0056 SLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8	75	6,82
ASC 0067 SLY	68 - 74	68 - 74	1,50 X 25	M6X30	M10	75	7,03
ASC 0075 SLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	40	7,34
ASC 0083 SLY	83 - 93	83 - 93	1,50 X 20	M6X30	M10	40	7,58
ASC 0086 SLY	87 - 96	3 "	1,50 X 25	M6X30	M10	40	7,12
ASC 0097 SLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	40	7,52
ASC 0101 SLY	109 - 119	4 "	1,50 X 25	M6X30	M10	40	8,52
ASC 0123 SLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50	11,97
ASC 0138 SLY	135 - 146	5 "	2,00 X 25	M6X30	M10	25	7,67
ASC 0160 SLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25	8,32
ASC 0166 SLY	158 - 169	6 "	2,00 X 25	M6X30	M10	25	8,65
ASC 0195 SLY	197 - 207	7"	2,00 X 25	M6X30	M10	25	9,10
ASC 0216 SLY	216 - 224	8"	2,00 X 25	M6X30	M10	20	9,30
ASC 0270 SLY	269 - 275	10"	2,00 X 25	M6X30	M10	10	8,61

PIPE CLAMP&SUPPORT

No Rubber Pipe Clamp with Combi Nut






SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6



Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 KSLY	20 - 24	1/2"	1,00 X 20	M5X15	M8/10	300	13,03
ASC 0018 KSLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8/10	300	13,73
ASC 0020 KSLY	25 - 30	3/4"	1,00 X 20	M5X15	M8/10	300	13,89
ASC 0025 KSLY	31 - 36	1"	1,00 X 20	M5X15	M8/10	200	10,05
ASC 0032 KSLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8/10	200	11,77
ASC 0040 KSLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8/10	100	9,43
ASC 0048 KSLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8/10	120	9,57
ASC 0054 KSLY	60 - 65	2"	1,20 X 20	M5X15	M8/10	120	8,52
ASC 0056 KSLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8/10	75	6,67
ASC 0067 KSLY	68 - 74	68 - 74	1,50 X 25	M6X30	M8/10	75	6,89
ASC 0075 KSLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M8/10	50	8,12
ASC 0083 KSLY	83 - 93	83 - 93	1,50 X 20	M6X30	M8/10	40	7,20
ASC 0086 KSLY	87 - 96	3 "	1,50 X 25	M6X30	M8/10	40	7,67
ASC 0097 KSLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M8/10	40	7,69
ASC 0101 KSLY	109 - 119	4 "	1,50 X 25	M6X30	M8/10	40	8,80
ASC 0123 KSLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M8/10	50	12,36
ASC 0138 KSLY	135 - 146	5 "	2,00 X 25	M6X30	M8/10	25	7,12
ASC 0160 KSLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M8/10	25	8,54
ASC 0166 KSLY	158 - 169	6 "	2,00 X 25	M6X30	M8/10	25	8,56
ASC 0195 KSLY	197 - 207	7"	2,00 X 25	M6X30	M8/10	25	9,39
ASC 0216 KSLY	216 - 224	8"	2,00 X 25	M6X30	M8/10	20	9,59
ASC 0270 KSLY	269 - 275	10"	2,00 X 25	M6X30	M8/10	10	8,80

PIPE CLAMP&SUPPORT

No Rubber Pipe Clamp with Triphone 7x70






SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 KLY	20 - 24	1/2"	1,00 X 20	M5X15	7 X 70	200	9,01
ASC 0018 KLY	23 - 27	23 - 27	1,00 X 20	M5X15	7 X 70	200	9,12
ASC 0020 KLY	25 - 30	3/4"	1,00 X 20	M5X15	7 X 70	200	9,22
ASC 0025 KLY	31 - 36	1"	1,00 X 20	M5X15	7 X 70	200	10,19
ASC 0032 KLY	36 - 43	1 1/4"	1,20 X 20	M5X15	7 X 70	150	8,83
ASC 0040 KLY	44 - 50	1 1/2"	1,20 X 20	M5X15	7 X 70	100	6,11
ASC 0048 KLY	54 - 58	54 - 58	1,20 X 20	M5X15	7 X 70	100	6,60
ASC 0054 KLY	60 - 65	2"	1,20 X 20	M5X15	7 X 70	75	5,90
ASC 0056 KLY	64 - 71	64 - 71	1,20 X 20	M5X15	7 X 70	75	5,72
ASC 0067 KLY	68 - 74	68 - 74	1,50 X 25	M6X30	7 X 70	40	6,30
ASC 0075 KLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 70	40	6,11
ASC 0083 KLY	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 70	40	7,30
ASC 0086 KLY	87 - 96	3 "	1,50 X 25	M6X30	7 X 70	40	7,08
ASC 0097 KLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 70	40	7,28
ASC 0101 KLY	109 - 119	4 "	1,50 X 25	M6X30	7 X 70	40	7,66
ASC 0123 KLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 70	30	7,18
ASC 0138 KLY	135 - 146	5 "	2,00 X 25	M6X30	7 X 70	25	7,08
ASC 0160 KLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 70	25	6,40
ASC 0166 KLY	158 - 169	6 "	2,00 X 25	M6X30	7 X 70	25	8,44
ASC 0195 KLY	197 - 207	7"	2,00 X 25	M6X30	7 X 70	15	8,54
ASC 0216 KLY	216 - 224	8"	2,00 X 25	M6X30	7 X 70	10	8,71
ASC 0270 KLY	269 - 275	10"	2,00 X 25	M6X30	7 X 70	7	8,36

PIPE CLAMP&SUPPORT

No Rubber Pipe Clamp with Triphone 7x100





SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6


Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0015 ULY	20 - 24	1/2"	1,00 X 20	M5X15	7 X 100	150	8,34
ASC 0018 ULY	23 - 27	23 - 27	1,00 X 20	M5X15	7 X 100	150	8,34
ASC 0020 ULY	25 - 30	3/4"	1,00 X 20	M5X15	7 X 100	150	8,44
ASC 0025 ULY	31 - 36	1"	1,00 X 20	M5X15	7 X 100	150	8,54
ASC 0032 ULY	36 - 43	1 1/4"	1,20 X 20	M5X15	7 X 100	100	8,63
ASC 0040 ULY	44 - 50	1 1/2"	1,20 X 20	M5X15	7 X 100	75	6,11
ASC 0048 ULY	54 - 58	54 - 58	1,20 X 20	M5X15	7 X 100	75	6,89
ASC 0054 ULY	60 - 65	2"	1,20 X 20	M5X15	7 X 100	50	4,70
ASC 0056 ULY	64 - 71	64 -71	1,20 X 20	M5X15	7 X 100	50	4,56
ASC 0067 ULY	68 - 74	68 - 74	1,50 X 25	M6X30	7 X 100	40	6,80
ASC 0075 ULY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 100	40	6,60
ASC 0083 ULY	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 100	30	5,80
ASC 0086 ULY	87 - 96	3 "	1,50 X 25	M6X30	7 X 100	30	5,63
ASC 0097 ULY	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 100	30	7,57
ASC 0101 ULY	109 - 119	4 "	1,50 X 25	M6X30	7 X 100	30	7,86
ASC 0123 ULY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 100	25	7,18
ASC 0138 ULY	135 - 146	5 "	2,00 X 25	M6X30	7 X 100	20	6,31
ASC 0160 ULY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 100	20	6,80
ASC 0166 ULY	158 - 169	6 "	2,00 X 25	M6X30	7 X 100	20	6,40
ASC 0195 ULY	197 - 207	7"	2,00 X 25	M6X30	7 X 100	15	8,44
ASC 0216 ULY	216 - 224	8"	2,00 X 25	M6X30	7 X 100	10	8,75
ASC 0270 ULY	269 - 275	10"	2,00 X 25	M6X30	7 X 100	7	8,34

PIPE CLAMP&SUPPORT

Italian Type Pipe Clamp (Set)



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6





****3 products are packed in a plastic bag**

Product Code	Dimensions		Thickness X Width	Side Screws	Plastic Dubel & Adaptor	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	E x T2x L	S (mm)	Pcs/box	(kg)
ASC 0020 A8x80 IT	20	1/2 "	1,50 X 20	M6 X 20	8 x 8 x 80	M8	130	14,62
ASC 0025 A8x80 IT	25	3/4 "	1,50 X 20	M6 X 20	8 x 8 x 80	M8	130	10,57
ASC 0032 A8x80 IT	32	1 "	2,00 X 20	M6 X 20	8 x 8 x 80	M8	120	12,37
ASC 0040 A8x80 IT	40	1 1/4 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	100	9,91
ASC 0048 A8x80 IT	48	1 1/2 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	100	10,06
ASC 0056 A8x80 IT	56	2 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	60	7,01
ASC 0075 A10x80 IT	75	2 1/2 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	40	8,54
ASC 0090 A10x80 IT	86	3 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	40	8,06
ASC 0110 A10x80 IT	101	4 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	35	9,25
ASC 0160 A10x80 IT	166	6 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	20	9,00

PIPE CLAMP&SUPPORT

Italian Type Pipe Clamp




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0020 IT	20	1/2 "	1,50 X 20	M6 X 20	M8	300	14,33
ASC 0025 IT	25	3/4 "	1,50 X 20	M6 X 20	M8	200	10,36
ASC 0032 IT	32	1 "	2,00 X 20	M6 X 20	M8	200	12,13
ASC 0040 IT	40	1 1/4 "	2,00 X 20	M6 X 20	M8	100	9,71
ASC 0048 IT	48	1 1/2 "	2,00 X 20	M6 X 20	M8	120	9,86
ASC 0056 IT	56	2 "	2,00 X 20	M6 X 20	M8	75	6,87
ASC 0075 IT	75	2 1/2 "	2,00 X 25	M6 X 25	M10	50	8,37
ASC 086 IT	86	3 "	2,00 X 25	M6 X 25	M10	40	7,90
ASC 0101 IT	101	4 "	2,00 X 25	M6 X 25	M10	40	9,07
ASC 0166 IT	166	6 "	2,00 X 25	M6 X 25	M10	20	8,82

PIPE CLAMP&SUPPORT

Italian Type Pipe Clamp Combi (M8/M10)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
ASC 0020 IT	20	1/2 "	1,50 X 20	M6 X 20	M8/M10	300	14,47
ASC 0025 IT	25	3/4 "	1,50 X 20	M6 X 20	M8/M10	200	10,46
ASC 0032 IT	32	1 "	2,00 X 20	M6 X 20	M8/M10	200	12,25
ASC 0040 IT	40	1 1/4 "	2,00 X 20	M6 X 20	M8/M10	100	9,81
ASC 0048 IT	48	1 1/2 "	2,00 X 20	M6 X 20	M8/M10	120	9,96
ASC 0056 IT	56	2 "	2,00 X 20	M6 X 20	M8/M10	75	6,94
ASC 0075 IT	75	2 1/2 "	2,00 X 25	M6 X 25	M8/M10	50	8,45
ASC 086 IT	86	3 "	2,00 X 25	M6 X 25	M8/M10	40	7,98
ASC 0101 IT	101	4 "	2,00 X 25	M6 X 25	M8/M10	40	9,16
ASC 0166 IT	166	6 "	2,00 X 25	M6 X 25	M8/M10	20	8,91

PIPE CLAMP&SUPPORT


Stainless Steel Clamp With Nut



Product Code	Dimensions		Thickness X Width	Side Screws	Nut
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)
ASC 0020 PS	21 - 26	1/2 "	2,00 X 20	M6X30	M8
ASC 0025 PS	26 - 30	3/4 "	2,00 X 20	M6X30	M8
ASC 0032 PS	33 - 37	1 "	2,00 X 20	M6X30	M8
ASC 0040 PS	40 - 46	1 1/4 "	2,00 X 20	M6X30	M8
ASC 0048 PS	48 - 53	1 1/2 "	2,00 X 20	M6X30	M8
ASC 0056 PS	60 - 66	2 "	2,50 X 25	M6X30	M10
ASC 0075 PS	75 - 84	2 1/2 "	2,50 X 25	M8X30	M10
ASC 0086 PS	87 - 96	3 "	2,50 X 25	M8X30	M10
ASC 0101 PS	109 - 119	4 "	2,50 X 25	M8X30	M10
ASC 0138 PS	135 - 146	5 "	2,50 X 25	M8X30	M10
ASC 0166 PS	158 - 169	6 "	2,50 X 25	M8X30	M10

PIPE CLAMP&SUPPORT

Stainless Steel Clamp with Combi Nut



Product Code	Dimensions		Thickness X Width	Side Screws	Nut
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)
ASC 0020 PK	21 - 26	1/2 "	2,00 X 20	M6X30	M8/M10
ASC 0025 PK	26 - 30	3/4 "	2,00 X 20	M6X30	M8/M10
ASC 0032 PK	33 - 37	1 "	2,00 X 20	M6X30	M8/M10
ASC 0040 PK	40 - 46	1 1/4 "	2,00 X 20	M6X30	M8/M10
ASC 0048 PK	48 - 53	1 1/2 "	2,00 X 20	M6X30	M8/M10
ASC 0056 PK	60 - 66	2 "	2,50 X 25	M6X30	M8/M10
ASC 0075 PK	75 - 84	2 1/2 "	2,50 X 25	M8X30	M8/M10
ASC 0086 PK	87 - 96	3 "	2,50 X 25	M8X30	M8/M10
ASC 0101 PK	109 - 119	4 "	2,50 X 25	M8X30	M8/M10
ASC 0138 PK	135 - 146	5 "	2,50 X 25	M8X30	M8/M10
ASC 0166 PK	158 - 169	6 "	2,50 X 25	M8X30	M8/M10


PIPE CLAMP&SUPPORT

Isolation Block

SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1" - 2"	14	1,5
2 1/2" - 4"	21	3,9
5" - 6"	25	7,5
8" - 10"	40	13


INCH	DIMENSION TO BE USED
CORRESPONDING SIZE	
1/2"	2"
3/4"	67 - 73
1"	67 - 73
1 1/4"	83 - 93
1 1/2"	3"
2"	94 - 104
2 1/2"	5"
3"	5"
4"	6"
5"	196 - 209
6"	8"
8"	10"

TECHNICAL FEATURES	AVERAGE VALUE
DENSTIY	84 kg/m3
TEMPERATURE STRENGTH	. -155°C / + 175°C.



PIPE CLAMP&SUPPORT


Platform Heavy Duty Clamp



Product Code	Dimensions		Thickness X Width	Side Screws	Head	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)					
ASC 0032 AK	32 - 36	1 "	2,00 X 25	M8 X 30	10,5x14	60	10,99
ASC 0039 AK	41 - 45	1 1/4 "	2,00 X 25	M8 X 30	10,5x14	50	9,76
ASC 0048 AK	49 - 53	1 1/2 "	2,00 X 25	M8 X 30	10,5x14	40	8,59
ASC 0059 AK	59 - 65	2 "	2,00 X 25	M8 X 30	10,5x14	40	9,57
ASC 0074 AK	75 - 83	2 1/2 "	2,00 X 25	M8 X 30	10,5x14	40	10,36
ASC 0087 AK	87 - 95	3 "	2,00 X 25	M8 X 30	10,5x14	30	8,67
ASC 0108 AK	108 - 118	4 "	2,50 X 30	M8 X 30	12x14	20	10,58
ASC 0135 AK	134 - 147	5 "	3,00 X 30	M10 X 45	12x14	20	12,25
ASC 0162 AK	157 - 169	6 "	3,00 X 30	M10 X 45	12x14	15	9,95
ASC 0206 AK	211 - 226	8 "	4,00 X 30	M10 X 45	12x14	10	10,63
ASC 0260 AK	265 - 273	10 "	4,00 X 30	M10 X 45	12x14	7	9,40

PIPE CLAMP&SUPPORT

Single and Double Clamp




U BOLT							
Product Code	Dimensions		D	L	k	G	H
	(mm)	(inch)	(mm)	(mm)	(mm)	(mm)	(mm)
ASC 015 UB	15	1/2 "	21.5	25	28	M6	48
ASC 020 UB	20	3/4 "	26.9	30	35	M6	63
ASC 025 UB	25	1 "	33.7	30	42	M8	71
ASC 032 UB	32	1 1/4 "	42.4	30	51	M8	79
ASC 040 UB	40	1 1/2 "	48.3	30	57	M8	80
ASC 050 UB	50	2 "	60.3	30	57	M10	92
ASC 065 UB	65	2 1/2 "	76.1	30	69	M10	108
ASC 080 UB	80	3 "	88.9	40	99	M12	131
ASC 100 UB	100	4 "	114.3	50	127	M12	167
ASC 125 UB	125	5 "	139.7	50	152	M12	191
ASC 150 UB	150	6 "	168.3	50	180	M12	219
ASC 200 UB	200	8 "	219.1	60	236	M12	282
ASC 250 UB	250	10 "	273.0	60	290	M12	336
ASC 0270 UB	300	12 "	380	100	328	M12	380

SINGLE CLAMP			
Product Code	Dimensions		Thickness X Width
	(mm)	(inch)	TXB (mm)
ASC 0020 TK	20	1/2 "	1,20 X 20
ASC 0025 TK	25	3/4 "	1,20 X 20
ASC 0032 TK	32	1 "	1,50 X 25



SINGLE CLAMP			
Product Code	Dimensions		Thickness X Width
	(mm)	(inch)	TXB (mm)
ASC 0020 CK	20	1/2 "	1,20 X 20
ASC 0025 CK	25	3/4 "	1,20 X 20
ASC 0032 CK	32	1 "	1,50 X 25



02

PROFILE&HANGER SUPPORT



<i>Profile</i>	38-43
<i>Console</i>	44-47
<i>Perforated Mounting Strip</i>	48
<i>Other Fittings</i>	49-51
<i>Slide Nut</i>	53-57

PROFILE&HANGER SUPPORT

Profile

STEEL RAIL			
Product Code	Width	Length	Thickness
	W (mm)	L (mm)	S (mm)
ASC DP 2X500	50	500	2
ASC DP 2X1000	50	1000	2
ASC DP 2X2000	50	2000	2
ASC DP 3X500	50	500	3
ASC DP 3X1000	50	1000	3
ASC DP 3X2000	50	2000	3





Material:	Pre-Galvanized Steel
Coating:	Continuous hole pattern, designed for centre distance of sanitary armature
Usage:	Universal system for fixing to wall or ceiling



C PROFILE

Product Code	Width	Height	Length	Thickness	Distance	Holes Dimensions		
	W (mm)	H (mm)	L (mm)	S (mm)	Z (mm)	A1XB1 (mm)	A2XB2 (mm)	Z1XZ2 (mm)
ASC CP 27X18X1,25	27	18	2000	1,25	14	14X10,5	19X8,5	12,5X25
ASC CP 27X18X1,25	27	18	4000	1,25	14	14X10,5	19X8,5	12,5X25
ASC CP 28X30X1,75	28	30	2000	1,75	14	14X10,5	25X9	12,5X25
ASC CP 28X30X1,75	28	30	4000	1,75	14	14X10,5	25X9	12,5X25
ASC CP 38X40X2,00	38	40	2000	2	16,5	12,5X16	25X9	12,5X25
ASC CP 38X40X2,00	38	40	4000	2	16,5	12,5X16	25X9	12,5X25
ASC CP 40X60X2,00	40	60	2000	2	16,5	12,5X16	25X9	12,5X25
ASC CP 40X60X2,00	40	60	4000	2	16,5	12,5X16	25X9	12,5X25

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand
Feature:	For a quick and easy fixing, continuous perforation, a continuous graduated centimetre scale on two sides




PROFILE&HANGER SUPPORT

Profile


G PROFILE							
Product Code	Width	Height	Length	Thickness	Distance	Holes Dimentions	
	W (mm)	H (mm)	L (mm)	S (mm)	Z (mm)	AXB (mm)	Z1XZ2 (mm)
ASC GP 41X21X2,00	41	21	2000	2	22	13,5x25	50
ASC GP 41X21X2,00	41	21	4000	2	22	13,5x25	50
ASC GP 41X41X2,00	41	41	2000	2	22	13,5x25	50
ASC GP 41X41X2,00	41	41	4000	2	22	13,5x25	50

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand
Feature:	With continuous perforation, distance between rail end and first hole is always equal



L PROFILE						
Product Code	Width	Height	Length	Thickness	Distance	Holes Dimensions
	W (mm)	H (mm)	L (mm)	S (mm)	Z (mm)	AXB (mm)
ASC LP 30X30X2,00	30	30	2000	2	40	10x20
ASC LP 30X30X2,00	30	30	4000	2	40	10x20
ASC LP 30X30X2,50	30	30	2000	2,5	40	10x20
ASC LP 30X30X2,50	30	30	4000	2,5	40	10x20
ASC LP 30X30X3,00	30	30	2000	3	40	10x20
ASC LP 30X30X3,00	30	30	4000	3	40	10x20
ASC LP 40X40X2,50	40	40	2000	2,5	40	12,5x25
ASC LP 40X40X2,50	40	40	4000	2,5	40	12,5x25
ASC LP 40X40X3,00	40	40	2000	3	40	12,5x25
ASC LP 40X40X3,00	40	40	4000	3	40	12,5x25
ASC LP 40X40X4,00	40	40	2000	4	40	12,5x25
ASC LP 40X40X4,00	40	40	4000	4	40	12,5x25
ASC LP 50X50X4,00	50	50	2000	4	45	12,5x25
ASC LP 50X50X4,00	50	50	4000	4	45	12,5x25

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand
Feature:	For a quick and easy fixing, with continuous perforation





PROFILE&HANGER SUPPORT

Profile

U PROFILE						
Product Code	Width	Height	Lenght	Thickness	Distance	Holes Dimensions
	W (mm)	H (mm)	L (mm)	S (mm)	Z (mm)	AXB (mm)
ASC UP 30X30X2,00	30	30	2000	2	40	10x20
ASC UP 30X30X2,00	30	30	4000	2	40	10x20
ASC UP 30X30X2,50	30	30	2000	2,5	40	10x20
ASC UP 30X30X2,50	30	30	4000	2,5	40	10x20
ASC UP 30X30X3,00	30	30	2000	3	40	10x20
ASC UP 30X30X3,00	30	30	4000	3	40	10x20
ASC UP 40X40X2,50	40	40	2000	2,5	40	12,5x25
ASC UP 40X40X2,50	40	40	4000	2,5	40	12,5x25
ASC UP 40X40X3,00	40	40	2000	3	40	12,5x25
ASC UP 40X40X3,00	40	40	4000	3	40	12,5x25
ASC UP 40X40X4,00	40	40	2000	4	40	12,5x25
ASC UP 40X40X4,00	40	40	4000	4	40	12,5x25
ASC UP 50X50X4,00	50	50	2000	4	45	12,5x25
ASC UP 50X50X4,00	50	50	4000	4	45	12,5x25

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand
Feature:	For a quick and easy fixing, continuous perforation, a continuous graduated centimetre scale on two sides






PROFILE TABS			
Product Code	Colour	Suitable Profile Size	Pcs/Box
ASC PT 27	Blue/Green/Black	27X18	100
ASC PT 28	Blue/Green/Black	28X30	100
ASC PT 38	Blue/Green/Black	38X40	100
ASC PT 40	Blue/Green/Black	40X60	100
ASC PT 41	Blue/Green/Black	41X21	100
ASC PT 41	Blue/Green/Black	41X41	100

PROFILE & HANGER SUPPORT

Console


C RAIL CONSOLE							
Product Code	PR PROFILE DIMENSION				PLATE DIMENSION		
	Width	Height	Thickness	Length	Width	Length	Thickness
	W (mm)	H (mm)	S (mm)	L (mm)	Z (mm)	Y (mm)	S2 (mm)
ASC CK 27x18x200	27	18	1,25	200	120	40	4,00
ASC CK 27x18x300	27	18	1,25	300	120	40	4,00
ASC CK 27x18x400	27	18	1,25	400	120	40	4,00
ASC CK 27x18x500	27	18	1,25	500	120	40	4,00
ASC CK 28x30x200	28	30	1,75	200	120	40	4,00
ASC CK 28x30x300	28	30	1,75	300	120	40	4,00
ASC CK 28x30x400	28	30	1,75	400	120	40	4,00
ASC CK 28x30x500	28	30	1,75	500	120	40	4,00
ASC CK 38x40x200	38	40	2,00	200	120	50	4,00
ASC CK 38x40x300	38	40	2,00	300	120	50	4,00
ASC CK 38x40x400	38	40	2,00	400	120	50	4,00
ASC CK 38x40x500	38	40	2,00	500	120	50	4,00
ASC CK 40x60x200	40	60	2,00	200	120	50	4,00
ASC CK 40x60x300	40	60	2,00	300	120	50	4,00
ASC CK 40x60x400	40	60	2,00	400	120	50	4,00
ASC CK 40x60x500	40	60	2,00	500	120	50	4,00

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand



G RAIL CONSOLE							
Product Code	PR PROFILE DIMENSION				PLATE DIMENSION		
	Width	Height	Thickness	Length	Width	Length	Thickness
	W (mm)	H (mm)	S (mm)	L (mm)	Z (mm)	Y (mm)	S2 (mm)
ASC GK 41x21x200	41	21	2,00	200	120	50	4,00
ASC GK 41x21x300	41	21	2,00	300	120	50	4,00
ASC GK 41x21x400	41	21	2,00	400	120	50	4,00
ASC GK 41x21x500	41	21	2,00	500	120	50	4,00
ASC GK 41x41x200	41	41	2,00	200	120	50	4,00
ASC GK 41x41x300	41	41	2,00	300	120	50	4,00
ASC GK 41x41x400	41	41	2,00	400	120	50	4,00
ASC GK 41x41x500	41	41	2,00	500	120	50	4,00

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand




PROFILE&HANGER SUPPORT

Console


L RAIL CONSOLE							
Product Code	PR PROFILE DIMENSION				PLATE DIMENSION		
	Width	Height	Thickness	Length	Width	Length	Thickness
	W (mm)	H (mm)	S (mm)	L (mm)	Z (mm)	Y (mm)	S2 (mm)
ASC LK 30x30x200	30	30	3,00	200	120	40	4,00
ASC LK 30x30x300	30	30	3,00	300	120	40	4,00
ASC LK 30x30x400	30	30	3,00	400	120	40	4,00
ASC LK 30x30x500	30	30	3,00	500	120	40	4,00
ASC LK 40x40x200	40	40	4,00	200	120	50	4,00
ASC LK 40x40x300	40	40	4,00	300	120	50	4,00
ASC LK 40x40x400	40	40	4,00	400	120	50	4,00
ASC LK 40x40x500	40	40	4,00	500	120	50	4,00

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand




U RAIL CONSOLE							
Product Code	PROFILE DIMENSION				PLATE DIMENSION		
	Width	Height	Thickness	Length	Width	Length	Thickness
	W (mm)	H (mm)	S (mm)	L (mm)	Z (mm)	Y (mm)	S2 (mm)
ASC UK 30x30x200	30	30	3,00	200	120	40	4,00
ASC UK 30x30x300	30	30	3,00	300	120	40	4,00
ASC UK 30x30x400	30	30	3,00	400	120	40	4,00
ASC UK 30x30x500	30	30	3,00	500	120	40	4,00
ASC UK 40x40x200	40	40	4,00	200	120	50	4,00
ASC UK 40x40x300	40	40	4,00	300	120	50	4,00
ASC UK 40x40x400	40	40	4,00	400	120	50	4,00
ASC UK 40x40x500	40	40	4,00	500	120	50	4,00

Material:	Pre-Galvanized Steel
Coating:	Available zinc. plating on demand



PROFILE&HANGER SUPPORT


PERFORATED MOUNTING STRIP (Galvanized)



Product Code	Width	Length	Thickness	F	Weight
	W (mm)	L (mm)	(mm)	(min)	Kgs / Casette
ASC 3X12X10 SK	12	10	0,3	56,17	0,203
ASC 4X12X10 SK	12	10	0,4	74,89	0,271
ASC 5X12X10 SK	12	10	0,5	93,61	0,338
ASC 6X12X10 SK	12	10	0,6	112,33	0,406
ASC 7X12X10 SK	12	10	0,7	131,05	0,474
ASC 8X12X10 SK	12	10	0,8	149,78	0,540
ASC 3X17X10 SK	17	10	0,3	82,60	0,274
ASC 4X17X10 SK	17	10	0,4	110,18	0,366
ASC 5X17X10 SK	17	10	0,5	137,76	0,458
ASC 6X17X10 SK	17	10	0,6	165,18	0,549
ASC 7X17X10 SK	17	10	0,7	192,73	0,641
ASC 8X17X10 SK	17	10	0,8	220,26	0,732
ASC 3X12X15 SK	12	15	0,3	56,17	0,304
ASC 4X12X15 SK	12	15	0,4	74,89	0,406
ASC 5X12X15 SK	12	15	0,5	93,61	0,507
ASC 6X12X15 SK	12	15	0,6	112,33	0,609
ASC 7X12X15 SK	12	15	0,7	131,05	0,710
ASC 3X17X15 SK	17	15	0,3	82,60	0,412
ASC 4X17X15 SK	17	15	0,4	110,18	0,549
ASC 5X17X15 SK	17	15	0,5	137,76	0,682
ASC 6X17X15 SK	17	15	0,6	165,18	0,823
ASC 7X17X15 SK	17	15	0,7	192,73	0,960

U SHAPED WASHER

Product Code	d (mm)	A (mm)	H (mm)	L (mm)	g (mm)
ASC PR 27x18-8	9	28	10	30	2,00
ASC PR 28x30-8	9	29	10	30	2,00
ASC PR 38x40-8	9	39	12	30	2,00
ASC PR 38x40-10	11	39	12	30	2,00
ASC PR 40x60-8	9	41	16	30	3,00
ASC PR 40x60-10	11	41	16	30	3,00




Product Code	Size	Length (mm)	Thickness (mm)	Weight/Pcs (kg)
	(mm)			
ASC KM 3020	2,00x30x40x200	208	6	0,669
ASC KM 3025	2,00x30x40x250	258	6	0,757
ASC KM 5025	3,00x50x50x250	260	6	1,773



CORNERS FOR VENTILATION

Product Code	A (mm)	B (mm)	L (mm)	g (mm)	K1 (mm)	K2 (mm)	K3 (mm)	K4 (mm)	K5 (mm)	E (mm)	F (mm)	d (mm)
ASC HKB 73	18	15	73	2,0	23,0	-	51,0	10,0	8,0	11,0	9,0	6,2
ASC HKB 95	18	15	95	2,0	23,0	51,0	85,0	10,0	8,0	12,0	9,0	6,0
ASC HKB 103	27	25	103	2,5	35,0	52,0	87,0	10,0	13,0	16,0	13,0	7,2




PROFILE&HANGER SUPPORT


OTHER FITTINGS

BEAM CLAMP				
Product Code	M2	M1	H	h
ASC BC M8	M8	9	38	20
ASC BC M10	M10	11	46	21,8
ASC BC M12	M12	13	54	26

Material:	Cast iron
Coating:	Zinc. Plated
Usage:	Fixing the pipes, air canals and sprinkler systems to the construction.




G CLIPS					
Product Code	Width	Height	Length	Thickness	BOLT SIZE
	W (mm)	H (mm)	L (mm)	S (mm)	M (mm)
ASC GK M8X20	30	13	28	2	M8X20
ASC GK M8X25	30	13	28	2	M8X25
ASC GK M8X30	30	13	28	2	M8X30



PROFILE & HANGER SUPPORT

OTHER FITTINGS





V TRAPEZE HANGER			
Product Code	Size	Thickness & Width	Quantity Per Boxes
		(mm)	Pcs/Box
ASC TSA NULL	NULL	1,50 X 25	100
ASC TSA M8	M8	1,50 X 25	100
ASC TSA M10	M10	1,50 X 25	100
ASC TSA M8/M10	M8/M10	1,50 X 25	100






PROFILE & HANGER SUPPORT

SLIDE NUT






QUICKFIX						
Product Code	Size	Length (L)	S (mm)	SA (mm)	T(max.) (Nm)	Fa,z (N)
ASC QF M8	M8	25	5.0	13	15.0	2,700
ASC QF M8	M8	30	5.0	13	15.0	2,700
ASC QF M8	M8	40	5.0	13	15.0	2,700
ASC QF M8	M8	50	5.0	13	15.0	2,700
ASC QF M8	M8	60	5.0	13	15.0	2,700
ASC QF M8	M8	70	5.0	13	15.0	2,700
ASC QF M8	M8	80	5.0	13	15.0	2,700
ASC QF M8	M8	100	5.0	13	15.0	2,700
ASC QF M8	M8	120	5.0	13	15.0	2,700
ASC QF M8	M8	150	5.0	13	15.0	2,700
ASC QF M8	M8	180	5.0	13	15.0	2,700
ASC QF M8	M8	200	5.0	13	15.0	2,700
ASC QF M10	M10	25	5.0	17	15.0	2,900
ASC QF M10	M10	30	5.0	17	15.0	2,900
ASC QF M10	M10	40	5.0	17	15.0	2,900
ASC QF M10	M10	50	5.0	17	15.0	2,900
ASC QF M10	M10	60	5.0	17	15.0	2,900
ASC QF M10	M10	80	5.0	17	15.0	2,900
ASC QF M10	M10	100	5.0	17	15.0	2,900
ASC QF M10	M10	160	5.0	17	15.0	2,900





PROFILE&HANGER SUPPORT

SLIDE NUT




SLIDE NUT TB2						
Product Code	Size	S (mm)	T _(max) (Nm)	For Rail	Fa,z (N)	Fa,x (N)
ASC TB2 M8	M8	6	25	G Profile	4,500	2,200
ASC TB2 M10	M10	9	40	G Profile	5,000	2,550














PROFILE & HANGER SUPPORT

SLIDE NUT



SLIDE NUT TB3


Product Code	Size	S (mm)	T _{inst} (Nm)	For Rail	Fa,z (N)	Fa,x (N)
ASC TB3 M8	M8	8	11	G Profile	3,120	1,100
ASC TB3 M10	M10	8	15	G Profile	5,000	1,250




PROFILE&HANGER SUPPORT

SLIDE NUT


SLIDE NUT TB4			
Product Code	Size	Screw Length (mm)	Washer (Outer Diameter X Thickness)
ASC TB4 M8X30	M8	30	32x2,00mm
ASC TB4 M8X40	M8	40	32x2,00mm
ASC TB4 M10X30	M10	30	32x2,00mm
ASC TB4 M10X40	M10	40	32x2,00mm




SLIDE NUT TB5			
Product Code	Size	Screw Length (mm)	Washer (Outer Diameter X Thickness)
ASC TB5 M8X30	M8	30	32x2,00mm
ASC TB5 M8X40	M8	40	32x2,00mm
ASC TB5 M10X30	M10	30	32x2,00mm
ASC TB5 M10X40	M10	40	32x2,00mm




SLIDE NUT				
Product Code	Size	Width (mm)	Length (mm)	Thickness (mm)
ASC KS M8-6	M8	34	19	6,0
ASC KS M10-6	M10	34	19	6,0
ASC KS M12-6	M12	34	19	6,0
ASC KS M8-8	M8	34	19	8,0
ASC KS M10-8	M10	34	19	8,0
ASC KS M12-8	M12	34	19	8,0
ASC KS M8-10	M8	34	19	10,0
ASC KS M10-10	M10	34	19	10,0
ASC KS M12-10	M12	34	19	10,0



SQUARE SLIDE NUT				
Product Code	Size	Width (mm)	Length (mm)	Thickness (mm)
ASC KKS M8	M8	25	15	5
ASC KKS M10	M10	25	15	5



SPRING SLIDE NUT				
Product Code	Size	Width (mm)	Length (mm)	Thickness (mm)
ASC YKS M6	M6	34	19	6
ASC YKS M8	M8	34	19	6
ASC YKS M10	M10	34	19	6
ASC YKS M12	M12	34	19	6




03

FASTENERS

Wall Plate	59
Rod	60
Nuts	61
Washers	62-64
Bolt & Adaptor	65


WALL PLATE WITH NUT

Product Code	Size	Width	Length	Thickness
ASC SZP M8	M8	80	25	1,5
ASC SZP M10	M10	80	25	1,5
ASC SZP M12	M12	80	25	1,5
ASC SZP M16	M16	80	25	1,5
ASC SZP M8/10	M8/10	80	25	1,5
ASC SZP M10/12	M10/12	80	25	1,5




WALL PLATE WITH BOLT

Product Code	Size	Width	Length	Thickness
ASC ASZP M8	M8	80	25	1,5
ASC ASZP M10	M10	80	25	1,5
ASC ASZP M12	M12	80	25	1,5
ASC ASZP M16	M16	80	25	1,5
ASC ASZP M8/10	M8/10	80	25	1,5
ASC ASZP M10/12	M10/12	80	25	1,5




WALL PLATE WITH NUT WELDED

Product Code	Size	Width	Length	Thickness
ASC MZP 1/2"	1/2"	80	25	1,5
ASC MZP 3/4"	3/4"	80	25	1,5
ASC MZP 1"	1"	80	25	1,5




WALL PLATE WITH BOLT WELDED

Product Code	Size	Width	Length	Thickness
ASC CZP M8X18	M8	80	25	1,5
ASC CZP M8X25	M8	80	25	1,5
ASC CZP M10X12	M10	80	25	1,5
ASC CZP M10X35	M10	80	25	1,5



WALL PLATE WITH MUFF

Product Code	Size	Width	Length	Thickness	Screw Length
ASC ACZP M8X18	M8	80	25	1,5	18
ASC ACZP M8X25	M8	80	25	1,5	25
ASC ACZP M10X12	M10	80	25	1,5	12
ASC ACZP M10X35	M10	80	25	1,5	35




FASTENERS

ROD



THREADED ROD				
Product Code	Size	Length (mm)	Pieces PCS/Bundle	Weight/PCS
ASC ROT M6X1000	M6	1000	150	0,170
ASC ROT M6X2000	M6	2000	75	0,340
ASC ROT M8X1000	M8	1000	100	0,300
ASC ROT M8X2000	M8	2000	50	0,600
ASC ROT M10X1000	M10	1000	60	0,480
ASC ROT M10X2000	M10	2000	30	0,960
ASC ROT M12X1000	M12	1000	40	0,700
ASC ROT M12X2000	M12	2000	20	1,400
ASC ROT M14X1000	M14	1000	30	0,980
ASC ROT M14X2000	M14	2000	15	1,960
ASC ROT M16X1000	M16	1000	25	1,300
ASC ROT M16X2000	M16	2000	25	2,600
ASC ROT M18X1000	M18	1000	20	1,600
ASC ROT M18X2000	M18	2000	20	3,200
ASC ROT M20X1000	M20	1000	15	2,400
ASC ROT M20X2000	M20	2000	15	4,800

SIZE	RECOMMENDED LOAD
	(KN)
M8	3,0
M10	4,6
M12	6,7
M14	9,0
M16	12,5
M18	18,0
M20	19,6





STUD BOLT		
Product Code	Size	Length (mm)
ASC ROT M8X40	M8	40
ASC ROT M8X50	M8	50
ASC ROT M8X60	M8	60
ASC ROT M8X70	M8	80
ASC ROT M8X80	M8	100
ASC ROT M8X90	M8	120
ASC ROT M8X100	M10	40
ASC ROT M8X110	M10	50
ASC ROT M8X120	M10	60
ASC ROT M8X130	M10	80
ASC ROT M8X140	M10	100
ASC ROT M8X150	M10	120

NUT DIN 934					
Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Weight
	M	(mm)	(mm)	(mm)	(gr)
ASC SM 006	M6	9	10	5	2,5
ASC SM 008	M8	11,7	13	6,5	5,2
ASC SM 010	M10	15,3	17	8	11,6
ASC SM 012	M12	17,1	19	10	17,3
ASC SM 014	M14	19,8	22	11	25
ASC SM 016	M16	21,6	24	13	33,3
ASC SM 018	M18	24,9	27	15	49,4
ASC SM 020	M20	27	30	16	64,4
ASC SM 022	M22	28,8	32	18	79
ASC SM 024	M24	32,4	36	19	110



EXTENSION NUT DIN 6334		
Product Code	Size	L
	M	(mm)
ASC US 006	M6	30
ASC US 008	M8	30
ASC US 010	M10	30
ASC US 012	M12	40
ASC US 014	M14	40
ASC US 016	M16	48
ASC US 018	M18	48
ASC US 020	M20	60



FASTENERS

WASHERS


WASHER DIN 125					
Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Weight/pcs
	M	d (mm)	D (mm)	g (mm)	(gr)
ASC DP 006	M6	6,4	12	1,6	1,02
ASC DP 008	M8	8,4	16	1,6	1,83
ASC DP 010	M10	10,5	20	2	3,57
ASC DP 012	M12	13	24	2,5	6,27
ASC DP 014	M14	15	28	2,5	8,62
ASC DP 016	M16	17	30	3	11,3
ASC DP 018	M18	19	34	3	14,7
ASC DP 020	M20	21	37	3	17,2
ASC DP 022	M22	23	39	3	18,3
ASC DP 024	M24	25	44	4	32,3



WASHER DIN 9021					
Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Weight/pcs
	M	d (mm)	D (mm)	g (mm)	(gr)
ASC GP 006	M6	6,4	18	1,6	2,79
ASC GP 008	M8	8,4	24	2	6,22
ASC GP 010	M10	10,5	30	2,5	12,16
ASC GP 012	M12	13	37	3	22,18
ASC GP 014	M14	15	44	3	31,63
ASC GP 016	M16	17	50	3	40,87
ASC GP 018	M18	19	56	4	68,4
ASC GP 020	M20	21	60	4	77,86
ASC GP 024	M24	25	72	5	140,46




INCH WHITWORT WASHER					
Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Weight/pcs
	INCH	d (mm)	D (mm)	g (mm)	(gr)
ASC WP M6-1	1/4	6,9	18	1	1,7
ASC WP M8-1	5/16	8,4	22	1	2,54
ASC WP M10-1	3/8	10,5	25	1	3,17
ASC WP M6-2	1/4	6,9	18	2	3,4
ASC WP M8-2	5/16	8,4	22	2	5,09
ASC WP M10-2	3/8	10,5	25	2	6,34
ASC WP M12-2	1/2	13,3	32	2	10,44
ASC WP M8-3	5/16	8,4	22	3	7,64
ASC WP M10-3	3/8	10,5	25	3	9,51
ASC WP M12-3	1/2	13,3	32	3	15,66
ASC WP M14-3	9/16	15	36	3	19,79
ASC WP M16-3	5/8	17	40	3	24,23
ASC WP M20-3	3/4	21,5	45	3	28,89
ASC WP M24-3	1P	26,5	56	3	36,43





SPRING WASHER DIN 127

Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Height	Weight/ pcs
	M	d1 (mm)	d2 (mm)	s (mm)	h (mm)	(gr)
ASC YP 006	M 6	6,1	11,8	1,6	3,2	0,83
ASC YP 008	M 8	8,1	14,8	2	4	1,6
ASC YP 010	M 10	10,2	18,1	2,2	4,4	2,53
ASC YP 012	M 12	12,2	21,1	2,5	5	3,82
ASC YP 014	M 14	14,2	24,1	3	6	6,01
ASC YP 016	M 16	16,2	27,4	3,5	7	8,91
ASC YP 018	M 18	18,2	29,4	3,5	7	9,73
ASC YP 020	M 20	20,2	33,6	4	8	15,2
ASC YP 022	M 22	22,5	35,9	4	8	16,5
ASC YP 024	M 24	24,5	40	5	10	26,2



SQUARE WASHER




Product Code	Size	Inner Diameter	Outer Diameter	Thickness	Weight/pcs
	M	d (mm)	a (mm)	S (mm)	(gr)
ASC KP 010	M 10	11	30	3	18,8
ASC KP 012	M 12	14	40	4	45,4
ASC KP 016	M 16	18	50	5	88,2
ASC KP 020	M 20	22	60	5	126
ASC KP 024	M 24	26	80	6	275
ASC KP 027	M 27	30	90	6	348
ASC KP 030	M 30	33	95	6	385
ASC KP 033	M 33	36	100	6	423
ASC KP 036	M 36	39	110	8	685
ASC KP 039	M 39	42	125	8	895
ASC KP 042	M 42	45	135	8	1045
ASC KP 045	M 45	48	140	8	1110
ASC KP 048	M 48	52	150	10	1597
ASC KP 052	M 52	56	160	10	1816



FASTENERS



WASHERS

SQUARE WASHER FOR U PROFILE						
Product Code	Size	Inner Diameter	Width	Length	Height	Weight/pcs
	M	d (mm)	a (mm)	b (mm)	h (mm)	(gr)
ASC UKP 008	M8	9	22	22	3,8	9,5
ASC UKP 010	M10	11	22	22	3,8	8,8
ASC UKP 012	M12	14	26	26	4,9	18,3
ASC UKP 016	M16	18	32	32	5,9	31,4
ASC UKP 020	M20	22	40	40	7	57
ASC UKP 022	M22	24	44	44	8	82,5
ASC UKP 024	M24	26	56	56	8,5	128
ASC UKP 027	M27	30	56	56	8,5	119




BOLT DIN 933

Product Code	Size	Length	Weight
	M	L (mm)	(gr)
ASC CV 0515	M5	15	3,12
ASC CV 0530	M5	30	5,11
ASC CV 0615	M6	15	4,76
ASC CV 0630	M6	30	7,51
ASC CV 0815	M8	15	10,35
ASC CV 0820	M8	20	12,3
ASC CV 0825	M8	25	12,9
ASC CV 0830	M8	30	15,5
ASC CV 1015	M10	15	18,2
ASC CV 1030	M10	30	26,2
ASC CV 1040	M10	40	31,2
ASC CV 1050	M10	50	36,2
ASC CV 1230	M12	30	37,7
ASC CV 1245	M12	45	48,5
ASC CV 1630	M16	30	76,9
ASC CV 1645	M16	45	97,1



ADAPTOR TRIPHONE

Product Code	Size	M (mm)	L (mm)
ASC AT 0805	M8X50	M8	50
ASC AT 0808	M8X80	M8	80
ASC AT 0810	M8X100	M8	100
ASC AT 0812	M8X120	M8	120
ASC AT 1008	M10X80	M10	80
ASC AT 1010	M10X100	M10	100
ASC AT 1012	M10X120	M10	120
ASC AT 1208	M12X80	M12	80
ASC AT 1210	M12X100	M12	100
ASC AT 1212	M12X120	M12	120



04

Anchor


Steel Anchor

67-70


Plastic Anchor

71

DROP-IN ANCHOR						
Product Code	Drill Diameter	Size	Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC CDB M6	8	M6	25	350	12	25
ASC CDB M8	10	M8	30	500	15	30
ASC CDB M10	12	M10	40	700	18	40
ASC CDB M12	15	M12	50	2000	20	50
ASC CDB M14	17	M14	55	2250	20	55
ASC CDB M16	20	M16	65	2400	22	65
SIZE		BENDING MOMENT		RECOMMENDED LOAD		
		(Nm)		(KN)		
M6		2,5		1		
M8		6,2		1,8		
M10		12,5		3,6		
M12		21,8		5,7		
M16		55,8		7,4		
Material:	Steel					
Usage:	It is suitable for the assembly by the normal bolt and stab used in the assembly of medium and heavy loads to concrete.					



DRAW-IN ANCHOR						
Product Code	Drill Diameter	Size	Anchor Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC SDB M6	10	M6	45	1000	11	60
ASC SDB M8	12	M8	48	1500	12	65
ASC SDB M10	15	M10	55	2000	15	75
ASC SDB M12	18	M12	67	2500	18	85
ASC SDB M16	24	M16	90	3000	22	90
SIZE		BENDING MOMENT		RECOMMENDED LOAD		
		(Nm)		(KN)		
M8		12,5		3,5		
M10		24,9		5		
M12		43,7		7,04		
Material:	Steel					
Usage:	It is suitable for the assembly by the normal bolt and stab used in the assembly of medium and heavy loads to concrete.					



ANCHOR FIXING

STEEL ANCHOR

WEDGE ANCHOR						
Product Code	Drill Diameter	Size	Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC KD M8X75	8	M6	75	1200	15	40
ASC KD M8X100	8	M8	100	1200	15	40
ASC KD M8X120	8	M8	120	1200	15	40
ASC KD M10X90	10	M10	90	1400	20	90
ASC KD M10X110	10	M10	110	1400	20	90
ASC KD M10X120	10	M10	120	1400	20	90
ASC KD M10X150	10	M10	150	1400	20	90
ASC KD M10X180	10	M10	180	1400	20	90
ASC KD M10X200	10	M10	200	1400	20	90
ASC KD M12X90	12	M12	90	1800	22	120
ASC KD M12X110	12	M12	110	1800	22	120
ASC KD M12X125	12	M12	125	1800	22	120
ASC KD M12X150	12	M12	150	1800	22	120
ASC KD M12X180	12	M12	180	1800	22	120
ASC KD M12X200	12	M12	200	1800	22	120
ASC KD M14X125	14	M14	125	2400	22	140
ASC KD M14X150	14	M14	150	2400	22	140
ASC KD M16X120	16	M16	120	3000	24	170
ASC KD M16X145	16	M16	145	3000	24	170
ASC KD M16X180	16	M16	180	3000	24	170
ASC KD M16X200	16	M16	200	3000	24	170
ASC KD M16X250	16	M16	250	3000	24	170
ASC KD M18X150	18	M18	150	3200	26	200
ASC KD M18X180	18	M18	180	3200	26	200
ASC KD M18X200	18	M18	200	3200	26	200
ASC KD M20X150	20	M20	150	3400	26	280
ASC KD M20X175	20	M20	175	3400	26	280
ASC KD M20X200	20	M20	200	3400	26	280
ASC KD M20X220	20	M20	220	3400	26	280
ASC KD M20X250	20	M20	250	3400	26	280
ASC KD M24X230	24	M24	230	4000	32	280
ASC KD M24X250	24	M24	250	4000	32	280
ASC KD M24X275	24	M24	275	4000	32	280

SIZE	BENDING MOMENT	RECOMMENDED LOAD
	(Nm)	(KN)
M8	6,2	1,8
M10	12,5	3,6
M12	21,8	5,7
M16	55,8	7,4

Material:	Steel, Stainless Steel
Usage:	It is suitable for cost-effective fixings in concrete.



PIPE TYPE ANCHOR						
Product Code	Drill Diameter	Size	Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC BD M6X65	10	M6	65	625	8	55
ASC BD M8X60	13	M8	60	1200	12	60
ASC BD M8X75	13	M8	75	1200	12	60
ASC BD M8X110	13	M8	110	1200	12	60
ASC BD M8X150	13	M8	150	1200	17	70
ASC BD M10X85	15	M10	85	1500	17	70
ASC BD M10X110	15	M10	110	1500	17	70
ASC BD M10X150	15	M10	150	1500	17	70
ASC BD M12X90	16	M12	90	1600	12	80
ASC BD M12X110	16	M12	110	1600	12	80
ASC BD M12X150	16	M12	150	1600	12	80
ASC BD M14X110	19	M14	110	2000	20	90
ASC BD M14X150	19	M14	150	2000	20	90
ASC BD M16X120	22	M16	120	2500	20	90
ASC BD M16X150	22	M16	150	2500	20	90
ASC BD M16X180	22	M16	180	2500	20	90
ASC BD M16X200	22	M16	200	2500	20	90
ASC BD M16X250	22	M16	250	2500	20	90
ASC BD M20X140	25	M20	140	3000	15	110
ASC BD M20X200	25	M20	200	3000	15	110
ASC BD M20X250	25	M20	250	3000	15	110



Material:	Steel, Stainless Steel
Usage:	Preferred especially in elevator rail mounting in low concrete quality.

SLEEVE ANCHOR						
Product Code	Drill Diameter	Size	Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC GD M6X45	8	M6	45	250	8	25
ASC GD M6X65	8	M8	65	350	8	25
ASC GD M8X55	10	M8	55	750	11	50
ASC GD M8X75	10	M8	75	850	11	50
ASC GD M8X100	10	M8	100	850	11	50
ASC GD M10X70	12	M10	70	1250	11	80
ASC GD M10X85	12	M10	85	1300	12	80
ASC GD M10X110	12	M10	110	1500	12	80
ASC GD M10X130	12	M10	130	1500	12	80
ASC GD M10X150	12	M10	150	1500	12	80
ASC GD M12X75	16	M12	75	2100	16	100
ASC GD M12X90	16	M12	90	2200	16	100
ASC GD M12X110	16	M12	110	2200	16	130
ASC GD M12X150	16	M12	150	2200	16	130



SIZE	BENDING MOMENT	RECOMMENDED LOAD
	(Nm)	(KN)
M8	6,2	1,8
M10	12,5	3,6
M12	21,8	5,7
M16	55,8	7,4

Material:	Steel
Usage:	It is suitable for the assembly by the normal bolt and stab used in the assembly of medium and heavy loads to concrete.

ANCHOR FIXING


STEEL ANCHOR

CEILING ANCHOR						
Product Code	Drill Diameter	Size	Anchor Length	Pull Load	Tightening Torque	Hole Depth
	(mm)	(m)	(mm)	(mm)	(mm)	(mm)
ASC TD 0645	8	M6	45	180	25	55
SIZE		BENDING MOMENT		RECOMMENDED LOAD		
		(Nm)		(KN)		
M8		11,7		1,8		
Material:	Steel					
Usage:	It is suitable for the ceiling assembly by the hanger.					



HOOK ANCHOR			
Product Code	Drill Diameter	Size	Anchor Length
	(mm)	(m)	(mm)
ASC HD M6X45	12	M6	45
ASC HD M8X60	15	M8	60
ASC HD M10X70	18	M10	70
ASC HD M12X90	24	M12	90



	Product Code	Colour	Size	Length
			(mm)	(mm)
	Standard Plastic Anchor			
	ASC BD M6	White	6	30
	ASC BD M8	White	8	40
	ASC BD M10	White	10	50
	ASC BD M12	White	12	70
	ASC GD M6	Grey	6	30
	ASC GD M8	Grey	8	40
	ASC GD M10	Grey	10	50
	ASC GD M12	Grey	12	70
Brick Cavity Anchor				
	ASC TBD M8	Grey	8	1.000
	ASC TBD M10	Grey	10	1.000
	ASC TBD M12	Grey	12	1.000
Rocket Anchor				
	ASC RKD M8	Yellow	8	50
	ASC RKD M10	Yellow	10	60
Hollow Brick Anchor				
	ASC BTPD M6	Navy Blue	8	60
	ASC BTPD M8	Navy Blue	8	80
	ASC BTPD M10	Navy Blue	8	100

05

TOOLS

Assembly Set	73
Collector	74
Adjustable Plastic Clamp	75

LAVATORY ASSEMBLY SET

Product Code	Size	Pcs/Box	Weigth/Box
ASC LM SET	M10x120	60	8,2



CLOSET ASSEMBLY SET

Product Code	Size	Pcs/Box	Weigth/Box
ASC KM SET	M6X80	120	5,1




SPRING LAVATORY ASSEMBLY SET

Product Code	Size	Pcs/Box	Weigth/Box
ASC YM SET	M10	75	7,25



WATER HEATER ASSEMBLY SET

Product Code	Size	Pcs/Box	Weigth/Box
ASC SM SET	M10X80	120	10,8




COLLECTOR BOX (with consoles)		
Product Code	Width	Length
ASC KD 4060	40	60
ASC KD 6060	60	60
ASC KD 8060	80	60
ASC KD 1060	100	60


COLLECTOR BOX		
Product Code	Width (mm)	Length (mm)
ASC KDX 4060	40	60
ASC KDX 6060	60	60
ASC KDX 8060	80	60
ASC KDX 1060	100	60



COLLECTOR CLAMP SQUARE		
Product Code	Dimensions	
	Inch	(mm)
ASC KK 0025	3/4"	25
ASC KK 0032	1"	32
ASC KK 0040	1 1/4"	40




COLLECTOR CLAMP ROUND		
Product Code	Dimensions	
	Inch	(mm)
ASC YK 0025	3/4"	25
ASC YK 0032	1"	32
ASC YK 0040	1 1/4"	40



Adjustable Plastic Clamp

Product Code	Size	L (mm)	Pcs / Bag	Kg / Bag
ASC PK 0024-2,5	24	100	100	0,030
ASC PK 0040-2,5	40	150	100	0,045
ASC PK 0055-2,5	55	200	100	0,068
ASC PK 0040-3,6	40	150	100	0,070
ASC PK 0055-3,6	55	200	100	0,095
ASC PK 0068-3,6	68	250	100	0,111
ASC PK 0082-3,6	82	300	100	0,130
ASC PK 0102-3,6	102	370	100	0,160
ASC PK 0055-4,8	55	200	100	0,130
ASC PK 0068-4,8	68	250	100	0,157
ASC PK 0082-4,8	82	300	100	0,221
ASC PK 0110-4,8	110	380	100	0,250
ASC PK 0130-4,8	130	450	100	0,300
ASC PK 0160-4,8	160	500	100	0,321
ASC PK 0082-8	82	300	100	0,400
ASC PK 0110-8	110	380	100	0,500
ASC PK 0133-8	133	450	100	0,550
ASC PK 0166-8	166	550	100	0,700
ASC PK 0192-8	192	650	100	0,800
ASC PK 0235-8	235	750	100	0,900
ASC PK 0260-9	260	900	100	2,000
ASC PK 0342-9	342	950	100	2,067
ASC PK 0350-9	350	1000	100	3,200
ASC PK 0364-9	364	1200	100	3,300



asc fixing

CONTACT US



P : +90 (212) 620 33 44
F : +90 (212) 450 20 22
M : +90 (533) 633 00 14 (WhatsApp)

E : info@ascelikclamp.com
w : www.ascelikclamp.com

Zafer Mah. 133. Sk. No: 3
Esenyurt / İstanbul TÜRKİYE